

5. Ruminants are hoofed animals, including cattle and sheep, that have a unique four-chambered stomach specialized to digest tough, fiber-filled grasses. Researchers studying ruminants are investigating the morphological and molecular characteristics of different ruminant families in order to determine the evolutionary relationships among the families. Cladograms of several ruminant families were constructed based on morphological data (Figure 1A) and molecular data (Figure 1B). Table 1 shows a sample of the morphological characteristics present in each family used to construct the cladogram in Figure 1A.




Figure 1. Cladogram of six ruminant families based on (A) morphological data and (B) molecular data

TABLE 1. MORPHOLOGICAL CHARACTERISTICS FOUND IN EACH RUMINANT FAMILY

Characteristic Number	Morphological Characteristic	Tragulidae	Giraffidae	Bovidae	Moschidae	Antilocapridae	Cervidae
1	Extra tooth material			X		X	
2	Third stomach		X	X	X	X	X
3	Double opening for tear ducts					X	X

- (a) **Describe** how a scientist would use a comparison of the DNA sequences of different organisms to suggest the most likely evolutionary relationship among the organisms.
- (b) Based on Figure 1, **explain** why Bovidae is likely to be more closely related to Moschidae than it is to Giraffidae.
- (c) Using the template in the space provided for your response, **represent** the point(s) at which characteristic 1, listed in Table 1, evolved by marking “X” on the line(s) of the cladogram in the correct location(s).
- (d) Based on Figure 1A, **explain** why a characteristic found only in the Cervidae and Bovidae families is more likely evidence of convergent evolution than it is of common ancestry.