


Polymerisation

A-Level Chemistry

Addition polymerisation

In **addition polymerisation** 加成聚合, many small molecules join into one very long chain, with no other product made.

Each small molecule is a **monomer** 单体. It must be unsaturated —it has a C=C double bond. The double bond opens up so that the monomers can link together. The long chain that forms is the **polymer** 聚合物.




Poly(ethene), a common addition polymer, is supplied as tiny pellets a few millimetres across; these are later melted and moulded into bottles, bags and other products

Image: Lluís tgn, CC BY-SA 3.0 (commons.wikimedia.org)


Repeat units


The **repeat unit** 重复单元 is the small part that is copied again and again along the chain. To find it, take the monomer, change the C=C to a single C-C, and draw bonds going out at each end.

- **poly(ethene)** 聚乙烯 is made from ethene:



- **poly(chloroethene)** 聚氯乙烯 (PVC) is made from chloroethene:





Finding the repeat unit: change the monomer's C=C to a single bond and draw bonds out at each end; reverse it to find the monomer


Finding the monomer

To go the other way, look at one repeat unit of the polymer, and put the C=C double bond back in. That gives you the monomer.

The problem of disposal


Poly(alkene)s are very hard to get rid of:

- they are **non-biodegradable** 不可生物降解—microbes cannot break them down, so they stay in the ground for a very long time.
- their **combustion** 燃烧 (burning) can release harmful gases. For example, burning PVC gives off toxic hydrogen chloride.



Most addition polymers are non-biodegradable, so they build up as waste in the environment

Image: Marek Ślusarczyk (Tupungato) Photo portfolio, CC BY 3.0 (commons.wikimedia.org)



Poly(alkene) waste is hard to dispose of: it is non-biodegradable, and burning PVC releases toxic hydrogen chloride